## **Amendments to the Claims**

- 1. (Previously Presented) A recombinant DNA construct comprising a polynucleotide selected from the group consisting of a polynucleotide comprising a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1-3549.
- 2. (Previously Presented) A recombinant DNA construct comprising a polynucleotide selected from the group consisting of a polynucleotide encoding a polypeptide having an amino acid sequence selected from the group consisting of SEQ ID NO: 3550-7098.
- 3. (Previously Presented) A method of producing a plant having an improved property, wherein said method comprises transforming a plant with a recombinant construct comprising a promoter region functional in a plant cell operably joined to a polynucleotide comprising coding sequence for a polypeptide associated with said property, and growing said transformed plant, wherein said polypeptide is selected from the group consisting of:
  - a) a polypeptide useful for improving plant cold tolerance, wherein said polypeptide comprises a sequence identified as such in Table 1;
  - b) a polypeptide useful for manipulating growth rate in plant cells by modification of the cell cycle pathway, wherein said polypeptide comprises a sequence identified as such in Table 1;
  - c) a polypeptide useful for improving plant drought tolerance, wherein said polypeptide comprises a sequence identified as such in Table 1;
  - d) a polypeptide useful for providing increased resistance to plant disease, wherein said polypeptide comprises a sequence identified as such in Table 1;

- e) a polypeptide useful for galactomannan production, wherein said polynucleotide comprises a sequence identified as such in Table 1;
- f) a polypeptide useful for production of plant growth regulators, wherein said polypeptide comprises a sequence identified as such in Table 1;
- g) a polypeptide useful for improving plant heat tolerance, wherein said polypeptide comprises a sequence identified as such in Table 1;
- h) a polypeptide useful for improving plant tolerance to herbicides, wherein said polypeptide comprises a sequence identified as such in Table 1;
- i) a polypeptide useful for increasing the rate of homologous recombination in plants, wherein said polypeptide comprises a sequence identified as such in Table 1;
- j) a polypeptide useful for lignin production, wherein said polypeptide comprises a sequence identified as such in Table 1;
- k) a polypeptide useful for improving plant tolerance to extreme osmotic conditions, wherein said polypeptide comprises a sequence identified as such in Table 1;
- 1) a polypeptide useful for improving plant tolerance to pathogens or pests, wherein said polypeptide comprises a sequence identified as such in Table 1;
- m) a polypeptide useful for yield improvement by modification of photosynthesis, wherein said polynucleotide comprises a sequence identified as such in Table 1;
- n) a polypeptide useful for modifying seed oil yield and/or content, wherein said polypeptide comprises a sequence identified as such in Table 1;
- o) a polypeptide useful for modifying seed protein yield and/or content, wherein said polypeptide comprises a sequence identified as such in Table 1;

- p) a polypeptide encoding a plant transcription factor, wherein said polypeptide comprises a sequence identified as such in Table 1;
- q) a polypeptide useful for yield improvement by modification of carbohydrate use and/or uptake, wherein said polypeptide comprises a sequence identified as such in Table 1;
- r) a polypeptide useful for yield improvement by modification of nitrogen use and/or uptake, wherein said polypeptide comprises a sequence identified as such in Table 1;
- s) a polypeptide useful for yield improvement by modification of phosphorus use and/or uptake, wherein said polypeptide comprises a sequence identified as such in Table 1; and
- t) a polypeptide useful for yield improvement by providing improved plant growth and development under at least one stress condition, wherein said polypeptide comprises a sequence identified as such in Table 1.
- 4. (New) A substantially purified nucleic acid molecule comprising a nucleic acid sequence wherein said nucleic acid sequence:
- (a) hybridizes under stringent conditions to a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549, a complement thereof or a fragment of either, or
- (b) exhibits a 90% or greater identity to a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549, a complement thereof or a fragment of either.
- 5. (New) The substantially purified nucleic acid molecule of claim 4, wherein said nucleic acid molecule encodes a protein selected from the group consisting of a *Zea mays* protein, an *Oryza sativa* protein, a *Glycine max* protein, and fragments thereof.

- 6. (New) The substantially purified nucleic acid molecule of claim 5 wherein said nucleic acid molecule encodes a Zea mays protein or fragment thereof.
- 7. (New) The substantially purified nucleic acid molecule of claim 5, wherein said nucleic acid molecule encodes an *Oryza sativa* protein or fragment thereof.
- 8. (New) The substantially purified nucleic acid molecule of claim 5, wherein said nucleic acid molecule encodes a *Glycine max* protein or fragment thereof.
- 9. (New) A substantially purified nucleic acid molecule comprising a nucleic acid sequence that shares between 100% and 90% sequence identity with a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549, a complement thereof or a fragment of either.
- 10. (New) The substantially purified nucleic acid molecule of claim 9, wherein said nucleic acid sequence shares between 100% and 95% sequence identity with a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549, a complement thereof or a fragment of either.
- 11. (New) The substantially purified nucleic acid molecule of claim 10, wherein said nucleic acid sequence shares between 100% and 98% sequence identity with a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549, a complement thereof or a fragment of either.
- 12. (New) The substantially purified nucleic acid molecule of claim 11, wherein said nucleic acid sequence shares between 100% and 99% sequence identity with a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549, a complement thereof or a fragment of either.

- 13. (New) The substantially purified nucleic acid molecule of claim 12, wherein said nucleic acid sequence shares 100% sequence identity with a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549, a complement thereof or a fragment of either.
- 14. (New) A substantially purified polypeptide, wherein said polypeptide is encoded by a nucleic acid molecule comprising a nucleic acid sequence, wherein said nucleic acid sequence:
- (a) hybridizes under stringent conditions to a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549, a complement thereof or a fragment of either, or
- (b) exhibits a 90% or greater identity to a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549, a complement thereof or a fragment of either.
- 15. (New) A substantially purified polypeptide comprising an amino acid sequence that exhibits a 90% or greater identity to an amino acid sequence selected from the group consisting of SEQ ID NO: 3550 through SEQ ID NO: 7098, or a fragment thereof.
- 16. (New) A substantially purified polypeptide comprising an amino acid sequence that shares between 100% and 90% sequence identity with an amino acid sequence selected from the group consisting of SEQ ID NO: 3550 through SEQ ID NO: 7098, or a fragment thereof.
- 17. (New) The substantially purified polypeptide of claim 16, wherein said amino acid sequence shares between 100% and 95% sequence identity with an amino acid sequence selected from the group consisting of SEQ ID NO: 3550 through SEQ ID NO: 7098, or a fragment thereof.

- 18. (New) The substantially purified polypeptide of claim 17, wherein said amino acid sequence shares between 100% and 98% sequence identity with an amino acid sequence selected from the group consisting of SEQ ID NO: 3550 through SEQ ID NO: 7098, or a fragment thereof.
- 19. (New) The substantially purified polypeptide of claim 18, wherein said amino acid sequence shares between 100% and 99% sequence identity with an amino acid sequence selected from the group consisting of SEQ ID NO: 3550 through SEQ ID NO: 7098, or a fragment thereof.
- 20. (New) The substantially purified polypeptide of claim 19, wherein said amino acid sequence shares 100% sequence identity with an amino acid sequence selected from the group consisting of SEQ ID NO: 3550 through SEQ ID NO: 7098, or a fragment thereof.
- 21. (New) A transformed plant having a nucleic acid molecule which comprises:
- (a) an exogenous promoter region which functions in a plant cell to cause the production of an mRNA molecule; which is linked to;
- (b) a structural nucleic acid molecule, wherein said structural nucleic acid molecule comprises a nucleic acid sequence, wherein said nucleic acid sequence
- (i) hybridizes under stringent conditions to a nucleic acid sequence selected from the group consisting of SEQ ID NO:1 through SEQ ID NO:3549, a complement thereof or a fragment of either; or
- (ii) exhibits a 90% or greater identity to a nucleic acid sequence selected from the group consisting of SEQ ID NO:1 through SEQ ID NO:3549, a complement thereof or a fragment of either, which is linked to

- (c) a 3' non-translated sequence that functions in said plant cell to cause the termination of transcription and the addition of polyadenylated ribonucleotides to said 3' end of said mRNA molecule.
- 22. (New) The transformed plant according to claim 21, wherein said nucleic acid sequence is a complement of a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549 or a fragment thereof.
- 23. (New) The transformed plant according to claim 21, wherein said plant is selected from the group consisting of soybean, maize, cotton and wheat.
- 24. (New) A transformed plant having a nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide having an amino acid sequence, wherein said amino acid sequence exhibits a 90% or greater identity with an amino acid sequence selected from the group consisting of SEQ ID NO: 3550 through SEQ ID NO: 7098, or a fragment thereof.
- 25. (New) A transformed seed comprising a transformed plant cell comprising a nucleic acid molecule which comprises:
- (a) an exogenous promoter region which functions in said plant cell to cause the production of an mRNA molecule; which is linked to;
- (b) a structural nucleic acid molecule, wherein said structural nucleic acid molecule comprises a nucleic acid sequence, wherein said nucleic acid sequence
- (i) hybridizes under stringent conditions to a nucleic acid sequence selected from the group consisting of SEQ ID NO:1 through SEQ ID NO: 3549, a complement thereof or a fragment of either; or

(ii) exhibits a 90% or greater identity to a nucleic acid sequence selected from the group consisting of SEQ ID NO:1 through SEQ ID NO:3549, a complement thereof or a fragment of either,

## which is linked to

- (c) a 3' non-translated sequence that functions in said plant cell to cause the termination of transcription and the addition of polyadenylated ribonucleotides to said 3' end of said mRNA molecule.
- 26. (New) The transformed seed according to claim 25, wherein said nucleic acid sequence is a complement of a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 3549 or a fragment thereof.
- 27. (New) The transformed seed according to claim 25, wherein said seed is selected from the group consisting of soybean, maize, cotton and wheat seed.
- 28. (New) The transformed seed according to claim 25, wherein said exogenous promoter region functions in a seed cell.
- 29. (New) The transformed seed according to claim 25, wherein said exogenous promoter region functions in a leaf cell.
- 30. (New) A transformed seed comprising a transformed plant cell comprising a nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide having an amino acid sequence, wherein said amino acid sequence exhibits a 90% or greater identity with an amino acid sequence selected from the group consisting of SEQ ID NO: 3550 through SEQ ID NO: 7098, or a fragment thereof.